



## [1] PRODUCTION QUALITY ASSURANCE NOTIFICATION

[2] Equipment or Protected System Intended for use in Potentially explosive atmospheres
Directive 2014/34/EU

[3] Notification Number: Nemko 17ATEX4001Q

[4] Equipment or Protective System or Components as listed:

Valve Control Systems; Feedback Units; I/P Converters;

Switchboxes; Positioners.

😉 II 1/2 G/D

Ex ia; Ex d; Ex e; Ex mb; Ex tD; Ex tb; Ex h

[5] Applicant – Manufacturer or Authorized representative in the Community: Palmstierna International AB Korta Gatan 9

SE-171 54 Solna SWEDEN

[6] Nemko AS, notified body number 0470 for Annex IV/VII in accordance with Article 17 of Council Directive 2014/34/EU of 26 February 2014 notifies to the applicant that the manufacturer has a production quality system which complies with Annex IV of the Directive.

This quality system in compliance with Annex IV of the Directive also meets the requirements of Annex VII, Conformity to type based on Product Quality Assurance.

[7] This notification is based on audit reports issued the 2021-05-28 and 2021-06-04, related to order No. 433202 and 433203, as well as corresponding corrective actions, if any. Information about external factory site(s) covered by this QAN - if any - is given in audit reports related to the validity of this QAN.

The notification can be withdrawn if the manufacturer no longer satisfies the requirements of

Results of periodical surveillance of the quality system are a part of this notification.

- [8] This notification is valid until 2024-08-11 and can be withdrawn if the Manufacturer does not satisfy the production quality assurance surveillance / re-assessment.
- [9] According to Article 16(3) of the Directive 2014/34/EU the CE marking shall be followed by the identification Number 0470, identifying the notified body involved in the production control stage.

This notification may only be reproduced in its entirety and without any change, schedule included – if any.

2021-11-02

Bernt Jonny Orderud Manager factory inspections Factory Inspection Department